

DRIP STANDS

22333 / 22336

Yn Ym ANklyf k

KlYafd kkkk dkl m lm
 LmZ aYe l *-)0ee
 gm ggck& YhY al 2*c Zglld
 9 bmklyZd af a leYfmYdd Z k
 kY l g l d k gha a lZmlgf
 mdYlaf Yf 2)-(*+(lee
 ah dYkk
 9dmeafame gmfl o a lZYk g .
 an gddaf o dkg .-ee



ggc
Screw safety



Counterweight



COLOURS

Important: afa af afGREYdgm oadd
 Z Yhda a fgk h a a gl oak



22333	.	.)-(*+(/	{&*0
22336	.	.)-(*+(/	{&*0

22333

£145

p N9L dan


22336

£153

p N9L dan



Single hand height adjustment



22400

£99

p N9L dan

22403

£99

p N9L dan

22406

£99

p N9L dan



Screw safety



2 Stainless steel hooks



Bear wheels

22400 / 22403 22406

HY aYl a ANklyf

Kl d hgp gYlaf kl m lm
 LmZ aYe l *-ee
 g aYe l)lee
 Log ggck& YhY al 2*c Zglld ggc
 9 bmklyZd af a leYfmYdd Z k
 kY l mdYlaf Yf 2)*-(*)((lee
 HN ZYk g - (lee
 an gddaf o dkg -lee
 logg l edg cYZd



22400	-	-)*- *)	{ + {&*0
22403	-	-)*- *)	{ + {&*0
22406	-	-)*- *)	{ + {&*0

DRIP STANDS

22312


IV Stand for extra weight

- Stainless steel structure
- Tube diameter 33 / 25mm
- Line of six hooks. Capacity: 5kg bottle / hook
- Adjustable in height manually by screw safety – Regulating range: 1500-2300mm
- Soft drop system
- Aluminium counterweight base of 680mm
- Five rolling wheels of 65mm, two of them conductive and lockable

22312

£236

exc VAT & delivery



22312	68	68	150-230	9
				0.28



Counterweight



Screw safety



Conductive rolling wheels

22300


IV Stand for extra weight

- Stainless steel structure
- Tube diameter 33 / 25mm
- Four hooks. Capacity: 5kg bottle / hook
- Adjustable in height manually by screw safety – Regulating range: 1500-2300mm
- Soft drop system
- Aluminium counterweight base of 640mm
- Five rolling wheels of 65mm, two of them conductive and lockable

22300

£198

exc VAT & delivery



22300	64	64	150-230	8
				0.28

22327 / 22330


IV Pole for extra weight

- Stainless steel structure
- Tube diameter 33 / 25mm
- Four hooks. Capacity: 2kg bottle / hook
- Adjustable in height manually by screw safety – Regulating range: 1400-2300mm
- Steel epoxy coating base of 570mm
- Five rolling wheels of 65mm, two of them conductive and lockable

22327

£204

exc VAT & delivery



Screw safety




Conductive rolling wheels

22330

£210

exc VAT & delivery



22327	57	57	140-230	9
22330	57	57	140-230	9
				0.28

22306 / 22309

IV Stand for extra weight

- Stainless steel structure
- Tube diameter 25 / 18mm
- Four hooks. Capacity: 2kg bottle / hook
- Adjustable in height manually by screw safety or telescopic height button – Regulating range: 1500-2200mm
- Drip glass
- Aluminium counterweight base of 640mm
- Five rolling wheels of 65mm, two of them conductive and lockable

22306

£171

exc VAT & delivery



22309

£175

exc VAT & delivery



Single hand height adjustment



Counterweight



Screw safety



Conductive rolling wheels

22306	64	64	150-220	7
22309	64	64	150-220	7
				0.28